Caylg.

irradiating the amorphous semiconductor film with a CW laser having a wavelength of 532 nm to crystallize the amorphous semiconductor film; and

patterning the crystallized semiconductor film to form an active layer including at least a channel formation region.

- 22. (New) The method according to claim 21 wherein said amorphous semiconductor film comprises amorphous silicon.
- 23. (New) A method of manufacturing a semiconductor device comprising the steps of:

forming an amorphous semiconductor film over a substrate;

irradiating the amorphous semiconductor film with a CW laser having a wavelength of 355 nm to crystallize the amorphous semiconductor film; and

patterning the crystallized semiconductor film to form an active layer including at least a channel formation region.

24. (New) The method according to claim 23 wherein said amorphous semiconductor film comprises amorphous silicon.

MAN CONTRACTOR

25. (New) A method of manufacturing a semiconductor device comprising the steps of:

forming an amorphous semiconductor film over a substrate;

irradiating the amorphous semiconductor film with a second harmonic of a CW laser comprising Nd to crystallize the amorphous semiconductor film; and

patterning the crystallized semiconductor film to form an active layer including at least a channel formation region.

- 26. (New) The method according to claim 25 wherein said amorphous semiconductor film comprises amorphous silicon.
- 27. (New) The method according to claim 25 wherein said CW laser comprising Nd is an Nd:YAG laser.
- 28. (New) A method of manufacturing a semiconductor device comprising the steps of:

forming an amorphous semiconductor film over a substrate;

irradiating the amorphous semiconductor film with a third harmonic of a CW laser comprising Nd to crystallize the amorphous semiconductor film; and

 $\beta_{i}^{\text{Cauc}_{i}g}$.

patterning the crystallized semiconductor film to form an active layer including at least a channel formation region.

- 29. (New) The method according to claim 28 wherein said amorphous semiconductor film comprises amorphous silicon.
- 30. (New) The method according to claim 28 wherein said CW laser comprising Nd is an Nd:YAG laser. -